

RESOLUTION NO. 2017-409

Meeting No.

32

Paper No.

28

Seconded By:

Davidson

AYES: McC Campbell, Scott, Wilson, Davidson

NAYS: None

+ Fleming

Introduced By:

Scott

A RESOLUTION AMENDING SEPTIC HAULERS FEES
EFFECTIVE JULY 1, 2017

WHEREAS, Chapter 95 of the Burlington City Code regulates the use of the City Sewer System,

WHEREAS, Section 97.15 of the Burlington City Code addresses the discharge of Hauled Wastewater,

WHEREAS, Section 97.15.3 of the Burlington City Code recognizes that fees for dumping septage may be established as part of the industrial user fee system as authorized in Section 97.33 of the Burlington City Code,

NOW, THEREFORE, BE IT RESOLVED BY THE BURLINGTON CITY COUNCIL that for each truckload discharged to the Publicly Owned Treatment Works by the Septic Hauler the following fees and charges to become effective July 1, 2017 are hereby adopted:

FEE SCHEDULE

| | <u>Septic Tank Waste</u> | | <u>Grease Trap or Interceptor Waste ⁽¹⁾</u> | |
|-----------------------|--------------------------------------|---------------------------------------|--------------------------------------------------------|---------------------------------------|
| | <u>Properties Inside City Limits</u> | <u>Properties Outside City Limits</u> | <u>Properties Inside City Limits</u> | <u>Properties Outside City Limits</u> |
| 0 - 60 gallons | - | - | \$66 ⁽²⁾ | \$99 |
| 0 - 650 gallons | \$168 | \$252 | \$309 | \$464 |
| 651 - 1,000 gallons | \$241 | \$362 | \$454 | \$681 |
| 1,001 - 1,500 gallons | \$348 | \$521 | \$661 | \$992 |
| 1,501 - 2,000 gallons | \$453 | \$660 | \$868 | \$1,302 |
| 2,001 - 2,500 gallons | \$560 | \$840 | n/a ⁽³⁾ | n/a |
| 2,501 - 3,000 gallons | \$667 | \$1,000 | n/a | n/a |
| 3,001 - 3,500 gallons | \$772 | \$1,158 | n/a | n/a |
| 3,501 - 4,000 gallons | \$877 | \$1,315 | n/a | n/a |


- (1) Small units to capture grease and located under a sink, counter or in the floor and usually no larger than 50 gallons are grease traps. Large in-ground tanks used to capture grease are grease interceptors.
- (2) This is the unit charge for a grease trap.
- (3) Not Accepted; wastes from grease traps and interceptors will not be accepted at any given time at this or a greater volume.

In lieu of using the specified fees the Wastewater Treatment Facility Superintendent may, at the waste generator's request, authorize the analysis of a representative sample of the trucked waste at the generator's expense and use the lab results along with the applicable Sewer Use Fees to calculate the charge for treating the hauled waste. A 50% surcharge for waste originating outside the City limits will be charged. The charge for shipping and analysis of a sample will be \$50.

Billing will be on a monthly basis and will include a monthly billing fee of \$10.55 effective July 1, 2017.

APPROVED and ADOPTED this 17th day of April 2017.

ATTEST:


Kathleen P. Salisbury, MMC
City Clerk


Shane A. McCampbell
Mayor

FILED - For Record

APR 17 2017

CITY CLERK'S OFFICE
BURLINGTON, IOWA